Sea Ice Outlook 2019 June Report Individual Outlook

Name of contributor or name of contributing organization:

University of Washington/APL

Is this contribution from a person or group not affiliated with a research organization?

Name and organization for all contributors. Indicate primary contact and total number of people who may have contributed to your Outlook, even if not included on the author list.

Jinlun Zhang and Axel Schweiger

Do you want your June contribution to automatically be included in subsequent reports? (If yes, you may still update your contribution via the submission form.)

This is a new submission.

What is the type of your Outlook projection?

Dynamic Model

Starting in 2017 we are accepting both pan-Arctic and pan-Antarctic sea ice extent (either one or both) of the September monthly mean. As in 2016, we are also collecting Alaskan regional sea ice extent. To be consistent with the validating sea ice extent index from NSIDC, if possible, please first compute the average sea ice concentration for the month and then compute the extent as the sum of cell areas > 15%.

a) Pan-Arctic September extent prediction in million square kilometers.

4.07

b) same as in (a) but for pan-Antarctic. If your method differs substantially from that for the Arctic, please enter it as a separate submission.

c) same as in (b) but for the Alaskan region. Please also tell us maximum possible extent if every ocean cell in your region were ice covered.

"Executive summary" of your Outlook contribution (using 300 words or less) describe how and why your contribution was formulated. To the extent possible, use non-technical language.

Driven by the NCEP CFS forecast atmospheric forcing, PIOMAS is used to predict the total September 2019 Arctic sea ice extent as well as ice thickness field and ice edge location, starting on June 1. The predicted September ice extent is 4.07± 0.40 million square kilometers. The predicted ice thickness fields and ice edge locations for September 2019 are also presented.

Brief explanation of Outlook method (using 300 words or less).

Tell us the dataset used for your initial Sea Ice Concentration (SIC).

Satellite sea ice concentration data (NASA team) for data assimilation in hindcast.

Tell us the dataset used for your initial Sea Ice Thickness (SIT) used. Include name and date.

CryoSat2 sea ice thickness up to 4/2019 for data assimilation in hindcast.

If you use a dynamic model, please specify the name of the model as a whole and each component including version numbers and how the component is initialized:

Not Specified

If available from your method.

a) Uncertainty/probability estimates:
Median
Ranges
Standard Deviations
b) Brief explanation/assessment of basis for the uncertainty estimate (1-2 sentences).
uncertainty = ± 0.4 c) Brief description of any post processing you have done (1-2 sentences).