SEA ICE OUTLOOK

2023 July Report

By ASIC, NIPR

Contributor

Label: ASIC, NIPR

Contributors

Hajime Yamaguchi (National Institute of Polar Research, Japan) Motomu Oyama (National Institute of Polar Research, Japan) Noriaki Kimura (The University of Tokyo, Japan)

Contact: asiio@nipr.ac.jp

Executive summary

Monthly mean ice extent in September will be about 4.607 million square kilometers. Our prediction is based on a statistical way using data from satellite microwave sensor. We used the ice thickness (accumulated ice convergence), ice age, and mean ice divergence on May 31. Predicted ice concentration map from July 1 to September 20 is available in our website:

https://www.nipr.ac.jp/sea ice/e/forecast/2023-07-03-1/

Type of Outlook method:

Statistical

Dataset

Ice velocity: Daily sea-ice velocity of Kimura Dataset (Kimura et al., 2013), during December 1 and May 31 for all AMSR-E/AMSR2 years.

Ice concentration: 10km grid data distributed by Arctic Data Archive System (https://ads.nipr.ac.jp)

Prediction of September pan-Arctic extent as monthly average in million square kilometers.

4.607 million square kilometers

Short explanation of Outlook method.

We predicted the Arctic sea-ice cover from coming July 1 to September 20, using the data from satellite microwave sensors, AMSR-E (2002/03-2010/11) and AMSR2 (2012/13-2022/23). The analysis method is based on our research (Kimura et al., 2013). First, we expect the ice thickness distribution on May 31 from redistribution (divergence/convergence) of sea ice during December and May. Additionally, ice age distribution and mean ice divergence distribution which represents how much area of young ice is contained in the old ice on May 31 were estimated from the backward tracking of sea ice. And then, by using the mean sea ice drift velocity since June over the past four years, effects of sea ice transport from June 1 to the prediction date was considered. Finally, we calculated the summer ice concentration by multiple regression analysis based on the derived ice thickness, ice age, and mean ice divergence.

Pan-Arctic sea ice extent anomaly million square km.

+0.140(4.607-4.467)

Reference

Kimura, N., A. Nishimura, Y. Tanaka and H. Yamaguchi, Influence of winter sea ice motion on summer ice cover in the Arctic, Polar Research, 32, 20193, 2013.




Fig: Predicted monthly-mean ice concentration in September 2023.